AUTHOR INDEX

Behzadi, K., 21, 49
Belkacem, Y., 251
Bensch, W., 155
Bhatt, Y. J., L21
Bhikshamaiah, G., 29
Bigaeva, I. M., L9
de Boer, F. R., 265, 317
Bolzoni, F., L5
Bougoin, M., 209
Bronger, W., 173
Buschow, K. H. J., 265, L5

Chuang, Y. C., 317
Cindery, R., L1
Clark, J. B., 181
Clark, N. J., 1
Cousson, A., 141

Dubois, J., 209

Faber, J., Jr., 229
Fantozzi, G., 209

Garg, S. P., L21
Gasperin, M., 141
Gibson, J. K., 149
Grössinger, R., 265

Haire, R. G., 149
Hashimoto, Y., 57
Hitterman, R. L., 229
Holtzberg, F., 243
Hoppe, R., 79, 93
Huang, Y.-K., 265, 317
Hulliger, F., 289

Indrasenan, P., 443
Irmler, M., 133

Jayasankar, H., 43
Jouve, G., 251
Jové, J., 141

Kaczorowski, D., 15, 327
Kaloev, N. I., L9
Kazakova, E. F., L9
Kemmler-Sack, S., 37
Kim, G.-H., 123
Kirchmayr, H. R., 265
Klepp, K. O., 173
Kotroczo, V., 1
Koyama, K., 57
Krewenka, R., 265
Krutzsch, B., 37

Langlais, F., 273
Larson, A. C., 229
Lawson, A. C., 229
Lee, J.-Y., 123
Le Page, Y., 243

McColm, I. J., 1
Matsumoto, T., 115
Matsushita, A., 115
Meyer, G., 69, 133
Minet, J., 273
Morss, L. R., 69
Meuller, M. H., 229
Mukherjee, A., 107

Naslain, R., 273
Neumann, H., L13
Noël, H., 327
Nowak, E., L13

Omar, M. S., L13
Onoda, M., 195
Ortiz, A. T., 229

Palmer, S., L1
Pamplin, B. R., L13
Pareti, L., L5

Raevskaya, M. V., 237
Richter, P. W., 181
Rushton, R., L1

Saine, M.-C., 141
Schleid, T., 69
Schlögl, R., 155
Siegrist, T., 243
Sinnema, S., 265
Smith, J. L., 229
Sokolova, I. G., 237
Sokolovskaya, E. M., L9
Solzi, M., L5
Spulak, R. G., Jr., L17
Stępień-Damm, J., 15
Suryanarayana, S. V., 29

Tatarkina, A. L., 237
Terawaki, K., 57
Thevenot, F., 209
Thomas, M. E., 181
Thompson, A., 21, 49
Tomlinson, W. J., L1
Troć, R., 15, 327

Untenecker, H., 79, 93

Venkataramani, R., L21
Villars, P., 289
Von Dreele, R. B., 229

Wach, S. P., 107
Wada, H., 195
Wu, C. H., 317

Yang, F.-M., 265, 317
Yanson, I. E., 237

Żołnierek, Z., 327

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Alloys
anodic polarization and corrosion of vanadium, and V–Ta, V–W, V–Cr and V–Cr–W alloys in 10% H_2SO_4 and 3% NaCl in water, L1
binary alloy systems at high pressure, 181
lattice parameters and Debye temperatures of Ag–Cd–Zn(α-phase) alloys, 29
Americium
preparation and lattice parameters of americium and curium monobismuthides, 149
Arsenic
preparation and crystal structure of $UCuAs_2$, 15

Boron
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209

Cadmium
lattice parameters and Debye temperatures of Ag–Cd–Zn(α-phase) alloys, 29
Carbide
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209
Carbon
measurements of eutectic temperatures in the metal-rich regions of several M–C systems, L21
Ceramics
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209
Chemical vapour deposition
on the chemical vapour deposition of zirconia from $ZrCl_4$–H_2–CO_2–Ar gas mixture: II. An experimental approach, 273
Chromium
anodic polarization and corrosion of vanadium, and V–Ta, V–W, V–Cr and V–Cr–W alloys in 10% H_2SO_4 and 3% NaCl in water, L1
Cobalt
magnetic anisotropy in $Pr_2(Fe_{1-x}Co_x)_{14}B$ compounds, 265
Copper
effect of nickel on interaction in the copper–ruthenium system, 237
heat capacity and Grüneisen function in $CuGe_2P_3$, L13
preparation and crystal structure of $UCuAs_2$, 15
Crystal structure
crystal structure of $Tm_{0.76}Se$ (blue phase), 243
preparation and crystal structure of Na_3AuS_2: a thioaurate with discrete anions, 173
preparation and crystal structure of $UCuAs_2$, 15
preparation and crystal structure of $UCuP_2$, 327
pyridinium-μ-trichloro-monaqua-octachloro-trirhenate(III) tetrahydrate, $(pyH)_2$ $[Re_3Cl_{11}(H_2O)]\cdot 4H_2O$:synthesis and crystal structure, 133
relationship between the crystal structure of $K_9U_6O_{22.5}$ and the (^{237}Np) Mössbauer spectra of related Np phases, 141
Curium
preparation and lattice parameters of americium and curium monobismuthides, 149

Electrodeposition
smooth electrodeposits of molybdenum from KF–$Li_2B_4O_7$–Li_2MoO_4 fused salt melts, 57
Eutectic temperatures
measurements of eutectic temperatures in the metal-rich regions of several M–C systems, L21

Fused salt melts
smooth electrodeposits of molybdenum from KF–$Li_2B_4O_7$–Li_2MoO_4 fused salt melts, 57

Germanium
heat capacity and Grüneisen function in $CuGe_2P_3$, L13

© Elsevier Sequoia/Printed in The Netherlands

Gold
preparation and crystal structure of Na_3AuS_2: a thioaurate with discrete anions, 173
Grüneisen function
heat capacity and Grüneisen function in $CuGe_2P_3$, L13

Helium release
on helium release from metal tritides, L17
Hydrides
hydrides in the $PrNi_5$–H_2 system, 115
Hydrogenation properties
the change of hydrogenation properties induced by thermal cyclings in $MmNi_{4.5}Al_{0.5}$ and $MmNi_{4.15}Fe_{0.85}$, 123
Hydrogen sorption
hydrogen sorption properties of $D8_8$-type sytems, II: Sc_5Si_3 and Y_5Si_3–Sc_5Si_3 solid solutions, 1

Ionic transport processes
XPS study of the ionic transport processes of phosphate and fluoride ions incorporated in thin oxide films formed on Nb by anodic techniques, 251
Intermetallics
structural-stability domains for single-coordination intermetallic phases, 289
Iron
phase equilibria in Y–Fe–Mo systems, L9

Kinetics
an investigation of the kinetics and stability of VO_2, 107

Lattice parameters
lattice parameters and Debye temperatures of Ag–Cd–Zn(α-phase) alloys, 29
preparation and lattice parameters of americium and curium monobismuthides, 149

Magnetic anisotropy
magnetic anisotropy in $Pr_2(Fe_{1-x}Co_x)_{14}B$ compounds, 265
Magnetic transitions
first-order magnetic transition in $(Nd, Pr)_2Fe_{14}B$, 317
Magnetocrystalline anisotropy
magnetocrystalline anisotropy in $Nd_{2-x}Tb_xFe_{14}B$, L5
Manganese
rhombohedral phase at the cubic–orthorhombic transformation of UMn_2, 229
Mechanical properties
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209
Misch metals
the changes of hydrogenation properties induced by thermal cyclings in $MmNi_{4.5}Al_{0.5}$ and $MmNi_{4.15}Fe_{0.85}$, 123
Molybdenum
phase equilibria in Y–Fe–Mo systems, L9
reaction of tetramethylthionylamide and trisdemethylaminophosphine sulphide with Nb(V), Mo(V) and Ta(V) chloride, 21
smooth electrodeposits of molybdenum from KF–$Li_2B_4O_7$–Li_2MoO_4 fused salt melts, 57

Neodymium
first-order magnetic transition in $(Nd, Pr)_2Fe_{14}B$, 317
magnetocrystalline anisotropy in $Nd_{2-x}Tb_xFe_{14}B$, L5
Neptunium
relationship between the crystal structure of $K_9U_6O_{22.5}$ and the (^{237}Np) Mössbauer spectra of related Np phases, 141
Nickel
effect of nickel on interaction in the copper–ruthenium system, 237
hydrides in the $PrNi_5$–H_2 system, 115
Niobium
XPS study of the ionic transport processes of phosphate and fluoride ions incorporated in thin oxide films formed on Nb by anodic techniques, 251
reaction of tetramethylthionylamide and trisdimethylaminophosphine sulphide with Nb(V), Mo(V) and Ta(V) chloride, 21

Phase equilibria
phase equilibria in Y–Fe–Mo systems, L9

Phase transitions
photoemission study of $Tl_xV_6S_8$: evidence for a low temperature phase transition, 155
rhombohedral phase at the cubic–orthorhombic transformation of UMn_2, 229
Photoemission
photoemission study of $Tl_xV_6S_8$: evidence for a low temperature phase transition, 155
Praseodymium
first-order magnetic transition in $(Nd, Pr)_2Fe_{14}B$, 317
hydrides in the $PrNi_5$–H_2 system, 115
magnetic anisotropy in $Pr_2(Fe_{1-x}Co_x)_{14}B$ compounds, 265
Preparation
preparation and crystal structure of Na_3AuS_2: a thioaurate with discrete anions, 173
preparation and crystal structure of $UCuAs_2$, 15
preparation and crystal structure of $UCuP_2$, 327
preparation and lattice parameters of americium and curium monobismuthides, 149

Rhenium
pyridinium-μ-trichloro-monaqua-octachloro-trirhenate(III) tetrahydrate, $(pyH)_2\,[Re_3Cl_{11}(H_2O)]\cdot 4H_2O$: synthesis and crystal structure, 133
Rhodium
spinels in the $Li_{1-z}Cu_zRhRu_{1-x}Mn_xO_4$ system, 37
Ruthenium
effect of nickel on interaction in the copper–ruthenium system, 237
spinels in the $Li_{1-z}Cu_zRhRu_{1-x}Mn_xO_4$ system, 37

Scandium
hydrogen sorption properties of $D8_8$-type systems
II: Sc_5Si_3 and Y_5Si_3–Sc_5Si_3 solid solutions, 1
Selenium
crystal structure of $Tm_{0.76}Se$ (blue phase), 243
Silicon
hydrogen sorption properties of $D8_8$-type systems
II: Sc_5Si_3 and Y_5Si_3–Sc_5Si_3 solid solutions, 1
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209
Silver
lattice parameters and Debye temperatures of Ag–Cd–Zn(α-phase) alloys, 29
Spinels
spinels in the $Li_{1-z}Cu_zRhRu_{1-x}Mn_xO_4$ system, 37
Structural-stability domains
structural-stability domains for single-coordination intermetallic phases, 289
Sulphur
the titanium–sulphur system: structures of $Ti_{6.9}S_9$(18H) and $Ti_{8.2}S_{11}$ (33R) and the unit cells of 45R and 57R types of titanium sulphide, 195
Synthesis
facile synthesis of UCl_4 and $ThCl_4$, metallothermic reductions of UCl_4 with alkali metals and crystal structure refinements of UCl_3, UCl_4 and Cs_2UCl_6, 69
pyridinium-μ-trichloro-monaqua-octachloro-trirhenate(III) tetrahydrate, $(pyH)_2\,[Re_3Cl_{11}(H_2O)]\cdot 4H_2O$: synthesis and crystal structure, 133
synthesis and characterization of some lanthanide nitrate complexes of 4-nitroso antipyrine, 43
synthesis and mechanical properties of dense boron carbide–silicon carbide ceramics, 209

Tantalum
anodic polarization and corrosion of vanadium, and V–Ta, V–W, V–Cr and V–Cr–W alloys in 10% H_2SO_4 and 3% NaCl in water, L1
reaction of tetramethylthionylamide and trisdimethylaminophosphine sulphide with Nb(V), Mo(V) and Ta(V) chloride, 21
Tellurates
new oxytellurate(VI):$KNa_5[TeO_6]$, 93
new oxytellurate, Na_4TeO_5, and a revision of the structure of Li_4TeO_5, 79
Terbium
magnetocrystalline anisotropy in $Nd_{2-x}Tb_xFe_{14}B$, L5
Thallium
photoemission study of $Tl_xV_6S_8$:

evidence for a low temperature phase transition, 155
Thermal cyclings
the changes of hydrogenation properties induced by thermal cyclings in $MmNi_{4.5}Al_{0.5}$ and $MmNi_{4.15}Fe_{0.85}$, 123
Thin films
XPS study of the ionic transport processes of phosphate and fluoride ions incorporated in thin oxide films formed on Nb by anodic techniques, 251
Thorium
facile synthesis of UCl_4 and $ThCl_4$, metallothermic reductions of UCl_4 with alkali metals and crystal structure refinements of UCl_3, UCl_4 and Cs_2UCl_6, 69
Thulium
crystal structure of $Tm_{0.76}Se$ (blue phase), 243
Titanium
the titanium–sulphur system: structures of $Ti_{6.9}S_9$(18H) and $Ti_{8.2}S_{11}$ (33R) and the unit cells of 45R and 57R types of titanium sulphide, 195
Tungsten
anodic polarization and corrosion of vanadium and V–Ta, V–W, V–Cr and V–Cr–W alloys in 10% H_2SO_4 and 3% NaCl in water, L1

Uranium
facile synthesis of UCl_4 and $ThCl_4$, metallothermic reductions of UCl_4 with alkali metals and crystal structure refinements of UCl_3, UCl_4 and Cs_2UCl_6, 69
preparation and crystal structure of $UCuAs_2$, 15
preparation and crystal structure of $UCuP_2$, 327
relationship between the crystal structure of $K_9U_6O_{22.5}$ and the (^{237}Np) Mössbauer spectra of related Np phases, 141
rhombohedral phase at the cubic–orthorhombic transformation of UMn_2, 229

Vanadium
anodic polarization and corrosion of vanadium, and V–Ta, V–W, V–Cr and V–Cr–W alloys in 10% H_2SO_4 and 3% NaCl in water, L1
investigation of the kinetics and stability of VO_2, 107
reaction of trichlorooxovanadium(V) with some oxygen donor ligands, 49

X-ray photoelectron spectroscopy
XPS study of the ionic transport pr processes of phosphate and fluoride ions incorporated in thin oxide films formed on Nb by anodic techniques, 251

Yttrium
hydrogen sorption properties of $D8_8$-type systems
II: Sc_5Si_3 and Y_5Si_3–Sc_5Si_3 solid solutions, 1
phase equilibria in Y–Fe–Mo systems, L9

Zinc
lattice parameters and Debye temperatures of Ag–Cd–Zn(α-phase) alloys, 29
Zirconium
on the chemical vapour deposition of zirconia from $ZrCl_4H_2CO_2Ar$ gas mixture:
II. An experimental approach, 273